

## Bostik BOSTIK T300 UNIVERSAL PRIMER

Adhesion promotor for porous and non-porous surfaces

### Product Description

BOSTIK T300 UNIVERSAL PRIMER is a ready to use primer to improve the adhesion of hybrid, polyurethane and silicone sealants and adhesives to many porous and non-porous substrates.

### Benefits

- Universal primer, for porous and non-porous Surfaces
- For hybrids, polyurethanes and silicone sealants and adhesives

### Applications

BOSTIK T300 UNIVERSAL PRIMER is an adhesion promotor for both porous and non-porous substrates to improve the adhesion for the technologies hybrids, polyurethanes and silicone sealants and adhesives.

### Directions Of Use

Make sure the substrate is clean, dry and free of dust and loose particles. Cover the substrate -where needed, with masking-tape. Shake or stir the BOSTIK T300 UNIVERSAL PRIMER well before use. Apply the BOSTIK T300 UNIVERSAL PRIMER as an equal thin layer on the substrate with a brush. When the primer is dry, apply the sealant or adhesive as soon as possible to prevent contamination of the substrate. General: Close packaging between use as the primer is sensitive to humidity.

### Additional information

Application temperature		+0°C till +35°C
Density		1,35 g/ml
Frost resistance during transportation		Up to -15°C

*These are typical values*

### Limitations

### Surface Preparations and Finishing

#### Cleaning

#### Colour(s)

- Transparent

### Packaging

- Can

*For product specifications, please refer to the Product Detail Page*

### Shelf Life

In unopened original packaging kept between +5°C and +25°C, shelf life is up to 18 months from production date, stored in a dry place.

### Health & Safety

Product Safety Data Sheet must be read and understood before use. These are available on request and via our websites

### Warranty & Guarantee

Bostik warrants that its product complies, within its shelf life, to its specification

### Disclaimer

All information in this document and in all our other publications (including electronic ones) is based on our current knowledge and experience and is the exclusive (intellectual) property of Bostik. No part of this document may be copied, shown to third parties, reproduced, communicated to the public or used in any other way without Bostik written consent. The technical information in this document serves as an indication and is non-exhaustive. Bostik is not liable for any damage, either directly or indirectly, due to (editorial) errors, incompleteness and/or incorrectness of this document. This includes, but is not limited to, incompleteness and/or incorrectness due to technological changes or any research conducted between the date of publication of this document and the date on which the product is acquired. Bostik reserves the right to amend the wording of this document. Bostik be held liable for any damage, either directly or indirectly, due to the use of the product(s) depicted in this document. The user must read and understand the information in this document and other documents relating to the products prior to the use of the product. The user is responsible for performing all the requisite tests to make sure that the product is suitable for its intended use. We have no influence in what way the product is applied and/or any circumstances relating to events occurring during storage or transport and therefore we do not accept any liability for damage whatsoever. All deliveries are made exclusively in accordance with our general terms of conditions which have been filed at the Dutch Chamber of Commerce.

### Bostik Benelux B.V

Denariusstraat 11, 4903 RC Oosterhout, The Netherlands  
Phone: +31 (0)162491000, E-mail: [info@bostik.com](mailto:info@bostik.com)  
[www.bostik.com](http://www.bostik.com) | [www.denbraven.com](http://www.denbraven.com)

19-05-2024  
04:54:41  
CEST